




SPX



Precision balances

SPX series. Compact size and high precision. Balance entirely built in ABS.

- Stainless steel plate.
- LED display with internal lighting.
- 100% tare range.
- Piece counting function.



Low profile

Low-profile balance, easy to transport and convenient to store.

AC adapter and dry batteries

Power supply via AC adapter or optional AAA 1.5V dry batteries for use anywhere.

Main uses



The SPX series from GRAM offers basic weighing, sufficient for most applications.



Very suitable for packaging, product checking, and general weighing applications.



Very robust construction made of ABS, suitable for intensive use.



The entire series is equipped with RX3 monotype load cell, made of high-strength aluminum, providing not only high precision but also long service life and high reliability.




Especially suitable for packaging and control processes in the agricultural industry (strawberries, mushrooms, tomatoes, etc.).

Technical features

Model	SPX-600-D	SPX-1000-D	SPX-3000-D	SPX-6000
Reference	6926	6928	6929	6927
Capacity	600g	1.000g	3.000g	6.000g
Resolution	0.1g	0.1g	0.1g	1g
Available sample quantities for piece counting	10, 20, 50 (selectable)			
Weighing units	g (kg), lb, oz/lb			
Tare range	100% of full scale			
Housing material	ABS			
Plate material	Stainless steel			
Power supply	6V adapter			
Batteries	4 × AAA 1.5V (not included)			
Working temperature	+5°C / +35°C			
Plate dimensions (mm)	155 x 155			
Overall dimensions (mm)	170 x 250 x 60			
Net product weight (kg)	0,626			
Total weight with packaging (kg)	0,785			

External dimensions (mm) SPX series



001/24032026